

CYCLESAFE BICYCLE LOCKER SYSTEMS

ECOPARK™ SERIES



**Bicycle
Parking
Solution**



CycleSafe®
SECURE BICYCLE PARKING

ECOPARK VALUE BICYCLE LOCKER SYSTEM

CycleSafe EcoPark Bicycle Lockers provide free-standing, secure storage for bicycles and gear in a fire-retardant, weather/vandal resistant structure utilizing a space efficient footprint. EcoPark lockers accommodate most bike widths and are manufactured to ISO 9000/14000 quality and environmental standards.



EcoPark #CS-EP-SM-M04 4 door, 4 bike capacity

Features:

- Capacity 1-2 bikes
- Dimensions: 33" W x 50-1/4" H x 77-1/2" L
- 3/16" thick nom. SMC Door/Top with structural ribs & bosses for hi-impact resistance and thermal protection
- Integral UV/Graffiti/Corrosion Resistant
- Zinc Primed TGIC powder coat Side Panels 16 gauge reinforced steel
- Structural Plastic options for Side Panels/Partitions
- High Security Vending Chicago Ace II lock w/concealed pop out T-handle, full length latchbar
- Stipple texture SMC resists scratches, dirt, cracking or mold on all SMC parts
- Adjustable Mounting Option
- Contributes to LEED certification for Sustainable Sites
- Made in the USA

Door Locking Options

#19536/19535 Standard includes Compx® vending type Pop-out heavy duty T-handle w/chrome finish and 7 pin tubular Chicago Ace II removable lock cylinder, brass w/chrome finish w/2 keys, available keyed different. Quality at affordable price.



#10605 Upgrade T-Handle removable plug lock to Abloy® Exec Series Maximum Security vending cylinder lockset (UL 437 rated) with factory restricted keys, w/3 keys provided, keyed different. Disc tumbler cylinder contains few moving parts and yet are exceptional picking and environmental resistance. The steel bolt provides maximum resistance against attack by pulling. Nickel-silver key with heavy duty polymer key bow.



#10607 Upgrade T-handle removable plug lock to Abloy® Exec Series cylinder w/ Masterkeying. Abloy's® unique rotating disk locking mechanism provides master-keying possibilities and superior resistance to corrosion, manipulation and attack.



#11680 Exterior mount GE Key Safe Box: Stores keys for short term on-demand use with programmable coded access per door




#10651 Velkey, Hanging File to Index Keys



#10792 Exterior Lock Weather Shield – protects lock in high moisture or low temperature environments shown w/door ID plate option



#19549 Padlockable Handle with spring return includes bracket to secure user supplied padlock or bicyclist U-Lock (cyclists or owner to provide lock) to replace T-Handle. Zinc coated/heavy duty construction handle or stainless steel handle upon request. Intended for open-access bicycle lockers.




#19551 EcoPark Door with Bluetooth Cellular Access that integrates with a management app to locate, reserve, rent and pay for bike locker usage on demand. Includes key fob override with Auxiliary Power Pack. QR code entry optional.



#15745 Retrofit Kit for existing installations for Bluetooth Cellular Access system.



SPECIFICATIONS





**EcoPark
#CS-EP-SM-M02,
2-bike capacity**

- Freestanding or linkable in rows 1-2 bike capacity units
- Hot Compression Door/Roof construction molded w/1,000 ton press for structural steel strength and hi-impact resistance
- Reinforced steel coated Side Panels
- Contoured roof to eliminate water build-up
- Concealed continuous hinge, hi-strength attachment to molded bosses
- Shipped in kit form for reduced freight, available preassembled upon request

Available in single door 1/2 bike capacity, or two door 2-bike capacity
Space efficient footprint; 9 sq. ft./2-door unit



**Interlocking door
flange resists
destructive entry**



Product: CycleSafe EcoPark:
Model #19502 - 2 door, 2 Bike unit.
Model #19504 - 1 door, 1/2 Bike unit.

Capacity: Holds 1 Bike or 2 Bikes

Material: High Density Polyester SMC (Sheet Molding Compound).
Zinc Primed TGIC Powder Coat Side Panels
16 gauge Reinforced Steel or Options Available.
Natural Sandstone Finish Standard Color.
Custom RAL Colors Upon Request.

COLORS

STANDARD



Sandstone
RAL 1019

CUSTOM



Translink Grey
RAL 7039



Gibraltar Grey
RAL 7047



Burgundy
RAL 3007



Signal White
RAL 9003



Sapphire Blue
RAL 5003



Custom RAL
upon request

EcoPark Accessories

- #10150 EcoPark Custom Color Exterior Finish to RAL Standards
- #10808 Interior partition mounted Coat Hooks (2) double hooks per door for personnel gear
- #10703 Photo Aluminum Door ID plate with 3/4" black numbers
- #10754 Custom Photo Aluminum Door ID plate
- #19579 EcoPark attachable Floor Plate for locker interior
- #10789 Door Mounted Storage Bin
- #10768 Door mounted 4-1/2" x 5" stainless steel louvered vent to reduce heat, mold, mildew in extreme climates.
- #19528 EcoPark View Thru Door



- #15800 Power Center – GFI electrical outlet for charging Electric Bikes or other accessories
- #15001 Solar Panel Kit for Electric Bike Charging Station
- #10152 Ultra Resistant Clear Coat for extreme graffiti environments

Poster-Grip® snap in aluminum frame for displaying ads, maps, etc. on end panel:


- #19901 24" x 60"
- #19905 44" x 72"

Interior Partition Options


- #19566 Hi-Impact Clear Polycarbonate partition for interior view
- #19522 SMC 3/16" Poly-Resin Composite interior partition
- #19520 Custom coated metal interior partition

Locker Mounting Options


- #19571 Standard includes (6) Hammer Pin Anchors




1. Bottomless with Drive Pin Lag Assemblies




- #19574 Adjustable leveling foot assembly includes hardware Kit 19577




2. Bottomless with Leveling Feet



- #19579/19574 Floor plate with leveling feet and hardware



3. Floor Plate & Leveling Feet



Shipping Information:

- EcoPark Standard includes Ready to Assemble Kit, shipped knocked down on compact skid
- #10330 EcoPark pre-assembled units shipped ready to mount for Single or Two Door units

Weight: 2 door unit - 333 lbs.
1 door unit - 285 lbs.



Dealer Representative:

TF 888.950.6531 PH 616.954.9977 FX 616.954.0290
CYCLESAFE.COM INFO@CYCLESAFE.COM